Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	137	severinsson in.	US-RGRUB; USPAT; EPO; JPO; DERWENT	OR	ØFF	2004/12/01 09:45
L2	39	1 and piston	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	OFF	2004/12/01 09:45
L3	7	dernebo.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/01 09:47
, ,	6208	((267/64.13) or (267/64.26) or (267/64.28) or (188/267) or (188/267.1) or (188/267.2) or (188/266.1) or (188/266.2) or (188/266.5) or (188/266.6) or (188/276) or (188/277) or (188/278) or (188/277) or (188/313) or (188/314) or (188/315) or (188/316) or (188/384) or (188/318) or (188/322.13) or (188/322.19) or (188/322.2) or (188/289) or (188/322.5) or (188/299.1)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 09:48
L5	452	4 and piston and cylinder and sens\$4	US-PGPUB; USPAT	OR	OFF	2004/12/01 09:50
L6	151	5 and (sens\$4 same rod)	US-PGPUB; USPAT	OR	OFF	2004/12/01 09:50
L7	5	"6659240" or "6467592"	US-PGPUB; USPAT	OR	OFF	2004/12/01 10:23
S1	11	piston and cylinder and rod and sensor and (conduct\$3 or induct\$4) and (vibrati\$3 or damp\$3)	EPO; JPO; DERWENT	OR	OFF	2003/06/25 14:42
S2	1	("6467592").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/06/25 12:30
S3	0	"6467592".URPN.	USPAT	OR	OFF	2003/06/23 16:19
S4	4	("3827538" "4749070" "5396973" "5467852").PN.	USPAT	OR	0FF	2003/06/23 16:19
S5	5	dernebo.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/01 09:47

`\$6	3996	((267/64.13) or (267/64.26) or (267/64.28) or (188/267) or (188/267.1) or (188/266.2) or (188/266.1) or (188/266.2) or (188/266.5) or (188/266.6) or (188/277) or (188/278) or (188/282.3) or (188/313) or (188/314) or (188/315) or (188/316) or (188/384) or (188/318) or (188/322.13) or (188/322.19) or (188/322.2) or (188/289) or (188/322.5) or (188/299.1)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 09:48
S7	3174	("188"/\$.ccls. or "180"/\$.ccls. or "280"/\$.ccls. or "267"/\$.ccls.) and piston and cylinder and sensor	US-PGPUB; USPAT	OR	OFF	2004/12/01 09:49
S8	2984	(("188"/\$.ccls. or "180"/\$.ccls. or "280"/\$.ccls. or "267"/\$.ccls.) and piston and cylinder and sensor) and (fluid or gas or medium or hydraulic)	US-PGPUB; USPAT	OR	OFF	2003/06/25 12:35
S9	1165	((("188"/\$.ccls. or "180"/\$.ccls. or "280"/\$.ccls. or "267"/\$.ccls.) and piston and cylinder and sensor) and (fluid or gas or medium or hydraulic)) and (piston near rod)	US-PGPUB; USPAT	OR	OFF.	2003/06/25 12:36
S10	16	(((("188"/\$.ccls. or "180"/\$.ccls. or "280"/\$.ccls. or "267"/\$.ccls.) and piston and cylinder and sensor) and (fluid or gas or medium or hydraulic)) and (piston near rod)) and (sensor near piston)	US-PGPUB; USPAT	OR	OFF	2003/06/25 12:37
S11	3998	((267/64.13) or (267/64.26) or (267/64.28) or (188/267) or (188/267.1) or (188/267.2) or (188/266.1) or (188/266.2) or (188/266.5) or (188/266.6) or (188/269) or (188/276) or (188/277) or (188/278) or (188/282.3) or (188/313) or (188/314) or (188/315) or (188/316) or (188/382.13) or (188/318) or (188/322.13) or (188/322.19) or (188/322.2) or (188/289) or (188/322.5) or (188/299.1)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/06/25 12:42

\$12	378	(((267/64.13) or (267/64.26) or (267/64.28) or (188/267) or (188/267.1) or (188/267.2) or (188/266.1) or (188/266.2) or (188/266.5) or (188/266.6) or (188/269) or (188/276) or (188/277) or (188/278) or (188/282.3) or (188/313) or (188/314) or (188/315) or (188/316) or (188/284) or (188/318) or (188/322.13) or (188/322.19) or (188/322.2) or (188/289) or (188/322.5) or	US-PGPUB; USPAT	OR	OFF	2003/06/25 12:42
S13	272	((((267/64:13) or (267/64:26) or (267/64:28) or (188/267) or (267/64:28) or (188/267) or (188/267:1) or (188/266:2) or (188/266:1) or (188/266:2) or (188/266:5) or (188/266:6) or (188/269) or (188/276) or (188/277) or (188/278) or (188/282:3) or (188/313) or (188/314) or (188/315) or (188/316) or (188/322:13) or (188/318) or (188/322:13) or (188/322:19) or (188/322:2) or (188/289) or (188/322:5) or (188/299:1)).CCLS:) and sensor) and piston	US-PGPUB; USPAT	OR	OFF	2003/06/25 12:43